Image compression with a human touch

OVIDIU COSMA

ABSTRACT.

Compression is very important for multimedia applications, because it reduces the amount of space for depositing the information, and the bandwidth required for sending it through a computer network. Multiresolution analysis performs a wavelet decomposition that decorrelates the signal data, in preparation for the quantization step and the final redundancy reduction. This article presents a simple algorithm for performing the decomposition of images and propounds a quantization method that takes into account the human eye contrast sensitivity function.

REFERENCES

- [1] Cosma, O., Wavelet Transform application in image compression, Buletinul Științific al Universității din Baia Mare seria B, 2000
- [2] Cosma, O., O metodă de compresie a imaginilor, Prima conferință de matematici aplicate, Baia Mare, 1998
- [3] Cosma, O., Extensions for the Image Broadcasting Protocol, Buletinul Ştiinţific al Universității din Baia Mare seria B, 1997
- [4] Cosma, O., Multimedia, Univ. de Nord Baia Mare, 2000
- [5] ISO/IEC, IPEG 2000 part I, final committee draft version 1.0
- [6] Fournier, A., Wavelets and their Applications in Computer Graphics, SIGGRAPH Course Notes, University of British Columbia 1995
- [7] Walker, S. J., Fourier Analysis and Wavelet Analysis, Notice of the AMS, Vol. 44, No. 6
- [8] Nadenau, M., Integration of Human Color Vision Models into High Quality Image Compression, Ecole Polytechnique Federale de Lausane, 2000
- [9] Hilton, L.M., Compressing Still and Moving Images With Wavelets, Multimedia Systems, Vol. 2, No. 3, 1994
- [10] Stollniz, J. E., Wavelets for Computer Graphics, IEEE Computer Garphics and Applications 05. 1995
- [11] Graps, A., An Introduction to Wavelets, IEEE Computational Science and Engineering, Vol. 2, No. 2, 1995

NOTH UNIVERSITY OF BAIA MARE DEPARTMENT OF MATHEMATICS AND COMPUTER SCIENCE Victoriei 76 430120 Baia Mare, Romania

E-mail address: cosma@mail.alphanet.ro