

Coefficient bounds for certain subclasses of bi-univalent functions

ŞAHSENE ALTINKAYA and SIBEL YALÇIN

ABSTRACT.

In this paper we discuss some newly constructed subclasses of bi-univalent functions and establish bounds for the coefficients of the functions in the subclasses $S_{\Sigma}(\lambda, \alpha)$ and $S_{\Sigma}(\lambda, \beta)$.

REFERENCES

- [1] Altinkaya, Ş. and Yalçın, S., *Initial coefficient bounds for a general class of bi-univalent functions*, Int. J. Anal., 2014, Art. ID 867871, 4 pp.
- [2] Altinkaya, Ş. and Yalçın, S., *Coefficient Estimates for Two New Subclasses of Bi-univalent Functions with respect to Symmetric Points*, J. Funct. Spaces, 2014, Art. ID 145242, 5 pp.
- [3] Brannan, D. A. and Clunie, J., *Aspects of contemporary complex analysis*, Proceedings of the NATO Advanced Study Institute Held at University of Durham, New York: Academic Press, (1979)
- [4] Brannan, D. A. and Taha, T. S., *On some classes of bi-univalent functions*, Studia Univ. Babeş-Bolyai Math., **31** (1986), No. 2, 70–77
- [5] Bulut, S., *Faber polynomial coefficient estimates for a comprehensive subclass of analytic bi-univalent functions*, C. R. Math. Acad. Sci. Paris Ser. I, **352** (2014), No. 6, 479–484
- [6] Duren, P. L., *Univalent Functions*, Grundlehren der Mathematischen Wissenschaften, Springer, New York, 1983
- [7] Frasin, B. A. and Aouf, M. K., *New subclasses of bi-univalent functions*, Appl. Math. Lett., **24** (2011) 1569-1573.
- [8] Hamidi, S. G. and Jahangiri, J. M., *Faber polynomial coefficient estimates for analytic bi-close-to-convex functions*, C. R. Acad. Sci. Paris, Ser. I, **352** (2014), No. 1, 17–20
- [9] Jahangiri, J. M. and Hamidi, G. S., *Coefficient estimates for certain classes of bi-univalent functions*, Int. J. Math. Math. Sci., 2013, Art. ID 190560, 4 pp.
- [10] Lewin, M., *On a coefficient problem for bi-univalent functions*, Proc. Amer. Math. Soc., **18** (1967), 63–68
- [11] Magesh, N. and Yamini, J., *Coefficient bounds for a certain subclass of bi-univalent functions*, Int. Math. Forum, **8** (2013), No. 27, 1337–1344
- [12] Netanyahu, E., *The minimal distance of the image boundary from the origin and the second coefficient of a univalent function in $|z| < 1$* , Arch. Ration. Mech. Anal., **32** (1969), 100–112
- [13] Pommerenke, C., *Univalent Functions*, Vandenhoeck & Ruprecht, Göttingen, 1975
- [14] Srivastava, H. M., Mishra, A. K. and Gochhayat, P., *Certain subclasses of analytic and bi-univalent functions*, Appl. Math. Lett., **23** (2010), No. 10, 1188–1192
- [15] Srivastava, H. M., Bulut, S., Çağlar, M. and Yağmur, N., *Coefficient estimates for a general subclass of analytic and bi-univalent functions*, Filomat **27** (2013), No. 5, 831–842
- [16] Xu, Q. H., Gui, Y. C. and Srivastava, H. M., *Coefficient estimates for a certain subclass of analytic and bi-univalent functions*, Appl. Math. Lett., **25** (2012), 990–994

ULUDAG UNIVERSITY
DEPARTMENT OF MATHEMATICS
FACULTY OF ARTS AND SCIENCE
16059 BURSA, TURKEY
E-mail address: sahsene@uludag.edu.tr